

# TFH3

series



---

## Product Segments


- **Comfort Motion**

## General Features

|                           |      |
|---------------------------|------|
| Maximum available buttons | 6    |
| Option                    | Hook |

**Drawing**

Standard Dimensions  
(mm)



## TFH3

Version: 20160613-A

|                          |                            |  |  |
|--------------------------|----------------------------|--|--|
| <input type="checkbox"/> | <b>Number of Actuators</b> | 1 = 1  | 2 = 2  |
| <input type="checkbox"/> | <b>Plug</b>                | 1 = Long DIN 5pin, 90° plug, for direct cut system<br>2 = DIN 8pin, 90° plug   | 3 = Short DIN 5pin, 90° plug, for direct cut system<br>4 = DIN 8pin, 180° plug |
| <input type="checkbox"/> | <b>Key Definition</b>      | 01~23 = See appendix*<br>Note : please contact TiMOTION before making an order |  |
| <input type="checkbox"/> | <b>Cable Length</b>        | 1 = Straight, 2000mm   |  |
| <input type="checkbox"/> | <b>Control Box Type</b>    | 0 = Without MCU + NO MCU control box   |  |
| <input type="checkbox"/> | <b>Hook Type</b>           | 0 = Without  | 1 = Standard   |

### Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.