

# TFS8

series



## Product Segments

### • Care Motion


The TFS8 foot switch has been developed to improve the interface control of hospital beds, dental chairs, home care furniture, treatment couches and examination tables. The TFS8 has 6 buttons, which supports up to 3 motors. Wireless control is optional.

#### General Features

|                           |            |
|---------------------------|------------|
| Connected actuators       | 1~3        |
| Color                     | White      |
| Maximum available buttons | 6          |
| IP rating                 | Up to IP66 |


## Drawing

Standard Dimensions  
(mm)



|                                                        |                                                                       |                                                                                                                                   |
|--------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>MCU</b>                                             | 0 = Without                                                           | 1 = With                                                                                                                          |
| <b>Control Box Type</b>                                | 0 = Without MCU                                                       | 1 = With MCU. Needs to raise a proposal                                                                                           |
| <b>Wireless Function</b>                               | 0 = Without                                                           | 4 = 2.4G                                                                                                                          |
| <b>Button Definition</b>                               | See appendix*<br>Note: please contact TiMOTION before making an order |                                                                                                                                   |
| <b>Plug</b>                                            | 0 = Without<br>6 = RJ 10P                                             | B = Without Plug, wireless only. With battery spring, no battery<br>C = Without Plug, wireless only. With battery spring, battery |
| <b>Plug Angle</b>                                      | 0 = Without                                                           | 1 = 90°<br>2 = 180°                                                                                                               |
| <b>Cable Length (mm)</b><br><a href="#">See page 4</a> | 0 = Without                                                           | 1~7 = 1~7                                                                                                                         |
| <b>Color</b>                                           | 1 = Standard (Body: white S, Pedal: Pantone 428C)                     |                                                                                                                                   |
| <b>IP rating</b>                                       | 2 = IP54                                                              | 3 = IP66                                                                                                                          |

Cable Length



| Cable Section (mm) |      |     |     |
|--------------------|------|-----|-----|
| CODE               | A    | B   | C   |
| 1                  | 1000 | 0   | 0   |
| 2                  | 1500 | 0   | 0   |
| 3                  | 2000 | 0   | 0   |
| 4                  | 4000 | 0   | 0   |
| 5                  | 1000 | 300 | 200 |
| 6                  | 1200 | 300 | 300 |
| 7                  | 1000 | 200 | 200 |

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.